

PAMANTASAN NG LUNGSOD NG MAYNILA
(University of the City of Manila)
 Intramuros, Manila



PLM – BIDS AND AWARDS COMMITTEE (PLM–BAC)

NAME OF PROJECT : **Various I.T. Equipment and Software CY 2016**

SUPPLEMENTAL/BID BULLETIN No. 03-G-17
25 January 2017

This bid bulletin is issued to amend items in the Bidding Documents in compliance with Section 22.5.2 of the Revised Implementing Rules and Regulations of Republic Act 9184 based on the requests for clarification by the prospective bidders. This shall form part of the Bidding Documents:

1. To amend the following items (BOLD and UNDERLINED Items):

Item No.	Qty.	Unit of Issue	ITEM DESCRIPTION	
			FROM	TO
1	206	Sets	Branded and Brand New AIO Desktop Computer ISO Certification Manufactured by an ISO 9001 or ISO 9002 certified manufacturer; At least 10 years of satisfactory trade presence/existence Processor At least 4 cores and 4 threads or equivalent ▪ At least 1.60 GHz processor ▪ At least 2 MB Cache Memory On-Board At least 4Gb DDR3 1333 Hard Disk At least SATA Hard Disk ▪ At least 1TB capacity 5400 rpm CD-ROM Drive At least SATA Internal DVD-ROM/Combo Drive ▪ At least 8X Monitor At least 19.5" Screen size LED Backlight Network At least 10/100 Mbps Network Interface (On-board and/or Card) Keyboard USB (US) Keyboard (same brand) Pointing Device USB optical mouse with scroll wheel (same brand) Expansion Slots At least: 1 PCI and 2 PCI Express Motherboard Interfaces USB Keyboard, USB Mouse, Video & DVI, LAN port, and at least two (2) USB 3.0 ports with at least one (1) USB 2.0 ports. And/or HDMI-out ports (Motherboard must be compatible with the processor) Operating system Licensed proprietary commercial OS (latest user-friendly OS and popularly-used by non-IT users); 32/64 bit, as appropriate Documentation User's Guide and Technical Manuals Warranty Certificate At least 1 year on all parts, labor and services Post Warranty At least 1 year. post-warranty support on availability of parts	Branded and Brand New AIO Desktop Computer ISO Certification Manufactured by an ISO 9001 or ISO 9002 certified manufacturer; At least 10 years of satisfactory trade presence/existence Processor At least 4 cores and 4 threads or equivalent ▪ At least 1.60 GHz processor ▪ At least 2 MB Cache Memory On-Board At least 4Gb DDR3 1333 Hard Disk At least SATA Hard Disk ▪ At least 1TB capacity 5400 rpm CD-ROM Drive At least SATA Internal DVD-ROM/Combo Drive ▪ At least 8X Monitor At least 19.5" Screen size LED Backlight Network At least 10/100 Mbps Network Interface (On-board and/or Card) Keyboard USB (US) Keyboard (same brand) Pointing Device USB optical mouse with scroll wheel (same brand) Expansion Slots - at least: 1 PCI and 2 PCI Express - DELETED Motherboard Interfaces USB Keyboard, USB Mouse, AUDIO , Video, LAN AND HDMI PORTS , SUPPORTED BY USB 3.0 AND USB 2.0 PORTS (Motherboard must be compatible with the processor) Operating system Licensed proprietary commercial OS (latest user-friendly OS and popularly-used by non-IT users); 32/64 bit, as appropriate Documentation User's Guide and Technical Manuals Warranty Certificate At least 1 year on all parts, labor and services Post Warranty At least 1 year post-warranty support on availability of parts

			Burn Test Quality Assurance	At least 5 continuous days (Certification to be issued by the Distributor/Supplier)	Burn Test Quality Assurance	At least 5 continuous days (Certification to be issued by the Distributor/Supplier) SOFTWARE TO BE USED ANY "BURN-IN TEST APPLICATION" (FREE EDITION)
--	--	--	-----------------------------	---	-----------------------------	---

Item No.	Qty.	Unit of Issue	ITEM DESCRIPTION			
			FROM		TO	
2	53	Units	Branded & Brand New Laptop Computer ISO Certification Processor Memory On-Board Hard Disk CD-ROM Drive Display Screen Network Operating System Battery Life Accessories Documentation Warranty Certificate Burn Test Quality Assurance	Manufactured by an ISO 9001 or ISO 9002 certified manufacturer; At least 10 years of satisfactory trade presence/existence At least 2 cores 4 threads or equivalent At least 1.7 GHz processor At least 3 MB L3 Cache At least 4Gb DDR3 1333 SATA Hard Disk At least 500Gb capacity 5400 rpm At least SATA Internal DVD-ROM Drive At least 8X DVD At most 14" HD; 1366 x 768 pixel resolution At least 10/100 Mbps built-in network interface Built-in wireless LAN, and Built-in Bluetooth Licensed proprietary commercial OS (latest user-friendly OS and popularly-used by non-IT users); 32/64 bit, as appropriate At least 4.0 hours (6 cells li-ion) Built-in webcam and Carrying bag User's Guide and Technical Manuals At least 1 year on all parts, services and support At least 3 continuous days (Certification to be issued by the Distributor/Supplier)	Branded & Brand New Laptop Computer ISO Certification Processor Memory On-Board Hard Disk CD-ROM Drive Display Screen Network Operating System Battery Life Accessories Documentation Warranty Certificate Burn Test Quality Assurance	Manufactured by an ISO 9001 or ISO 9002 certified manufacturer; At least 10 years of satisfactory trade presence/existence At least 2 cores 4 threads or equivalent At least 1.7 GHz processor At least 3 MB L3 Cache At least 4Gb DDR3 1333 SATA Hard Disk At least 500Gb capacity 5400 rpm At least SATA Internal DVD-ROM Drive At least 8X DVD At most 14" HD; 1366 x 768 pixel resolution At least 10/100 Mbps built-in network interface Built-in wireless LAN, and Built-in Bluetooth Licensed proprietary commercial OS (latest user-friendly OS and popularly-used by non-IT users); 32/64 bit, as appropriate At least 3.0 HOURS BATTERY LIFE USAGE Built-in webcam and Carrying bag User's Guide and Technical Manuals At least 1 year on all parts, services and support At least 3 continuous days (Certification to be issued by the Distributor/Supplier) SOFTWARE TO BE USED ANY "BURN-IN TEST APPLICATION" (FREE EDITION)

Item No.	Qty.	Unit of Issue	ITEM DESCRIPTION			
			FROM		TO	
7	5	Units	Branded and Brand New Thin Client ISO Certification Processor Memory Internal Drive	Manufactured by an ISO 9001 or ISO 9002 certified manufacturer; At least 10 years of satisfactory trade presence/existence System on Chip At least 1.20 GHz dual core processor At least with GPU At least 1 MB Cache At least 4Gb DDR3L SODIMM SDRAM At Least 8GB M.2 SSD	Branded and Brand New Thin Client ISO Certification Processor Memory Internal Drive	Manufactured by an ISO 9001 or ISO 9002 certified manufacturer; At least 10 years of satisfactory trade presence/existence System on Chip At least 1.20 GHz dual core processor At least with GPU At least 1 MB Cache At least 4Gb DDR3L SODIMM SDRAM At Least 8GB M.2 SSD

		<p>Multimedia and Input Device</p> <p>Network Interface</p> <p>Expansion Features</p> <p>Operating system</p> <p>Documentation</p> <p>Warranty Certificate</p> <p>Post Warranty</p> <p>Burn Test Quality Assurance</p>	<p>With Integrated Graphics Card</p> <p>At least 10/100/1000 GbE</p> <p>At least: 2 USB 3.0, 2 USB 2.0, 1 headphone, 1 microphone, 2 DisplayPort 1.2, 1 VGA and 1 RJ-45</p> <p>Licensed proprietary commercial OS</p> <p>User's Guide and Technical Manuals</p> <p>At least 1 years on all parts, labor and services</p> <p>At least 1 years post-warranty support on availability of parts</p> <p>At least 5 continuous days (Certification to be issued by the Distributor/Supplier)</p>	<p>Multimedia and Input Device</p> <p>Network Interface</p> <p>Expansion Features</p> <p>Operating system</p> <p>Documentation</p> <p>Warranty Certificate</p> <p>Post Warranty</p> <p>Burn Test Quality Assurance</p>	<p>With Integrated Graphics Card</p> <p>At least 10/100/1000 GbE</p> <p>At least: 2 USB 3.0, 2 USB 2.0, 1 headphone, 1 microphone, 2 DisplayPort 1.2, 1 VGA and 1 RJ-45</p> <p>Licensed proprietary commercial OS</p> <p>User's Guide and Technical Manuals</p> <p>At least 1 years on all parts, labor and services</p> <p>At least 1 years post-warranty support on availability of parts</p> <p>At least 5 continuous days (Certification to be issued by the Distributor/Supplier)</p> <p><u>SOFTWARE TO BE USED ANY "BURN-IN TEST APPLICATION" (FREE EDITION)</u></p>
--	--	--	--	--	---

Item No.	Qty.	Unit of Issue	ITEM DESCRIPTION	
			FROM	TO
23	1	Lot	<p>Branded and Brand New Dual Sided Card Printer with software</p> <p>Print Method Dye-Sublimation/Resin Thermal Transfer</p> <p>Resolution At least 300 dpi (11.8 dots/mm)</p> <p>Colors Up to 16.7 million / 256 shades per pixel</p> <p>Print Speed Up to 29 seconds per card/124 cards per hour (YMCK with transfer)</p> <p>Accepted Standard Card Sized CR-80 (3.370" L x 2.125" W / 85.6 mm L x 54 mm W)</p> <p>Accepted Card Thickness .030" (30 mil) to .050 (50 mil) / .762 mm to 1.27 mm</p> <p>Input Card Cartridge Capacity 100 cards (.030" / .762 mm)</p> <p>Output Hopper Card Capacity 200 cards (.030" / .762 mm)</p> <p>Software Drivers Windows XP/Server 2003/Vista (32 & 64 bit)/Server 2008 (32 & 64 bit) / 7 (32 & 64 bit); Mac OS x v10.4 / v10.5; Linux</p> <p>Print Area Options Over-the-edge on CR-80 cards Card lamination module – single sided or dual sided (simultaneous) Smart card encoding (contact/contactless) Dual sided printing Door and cartridge locks Printer cleaning kit Magnetic stripe encoding iCLASS Programming Platform Kit Secure Propriety Consumables System Custom Secure Holographic Film and Overlaminare</p> <p>SOFTWARE FOR DATABASE MANAGEMENT SECURITY</p> <p>License Verification</p> <p>Hardware Key/Hardware ID</p> <p>Role Base User Management (definable user priveleges)</p> <p>Password complexity</p> <ul style="list-style-type: none"> - Auto Log-out Option - Audit Trail Log Option - Password Expiry Option 	<p>Branded and Brand New Dual Sided Card Printer with software</p> <p>Print Method Dye-Sublimation/Resin Thermal Transfer</p> <p>Resolution At least 300 dpi (11.8 dots/mm)</p> <p>Colors Up to 16.7 million / 256 shades per pixel</p> <p>Print Speed Up to 29 seconds per card/124 cards per hour (YMCK with transfer)</p> <p>Accepted Standard Card Sized CR-80 (3.370" L x 2.125" W / 85.6 mm L x 54 mm W)</p> <p>Accepted Card Thickness .030" (30 mil) to .050 (50 mil) / .762 mm to 1.27 mm</p> <p>(DELETED)</p> <p>(DELETED)</p> <p>Software Drivers Windows XP/Server 2003/Vista (32 & 64 bit)/Server 2008 (32 & 64 bit) / 7 (32 & 64 bit); OR Mac OS x v10.4 / v10.5; OR Linux</p> <p>Print Area Options Over-the-edge on CR-80 cards Card lamination module – single sided or dual sided (simultaneous) Smart card encoding (contact/contactless) Dual sided printing Door and cartridge locks Printer cleaning kit Magnetic stripe encoding (DELETED) Secure Propriety Consumables System Custom Secure Holographic Film and Overlaminare</p> <p>SOFTWARE FOR DATABASE MANAGEMENT SECURITY</p> <p>License Verification</p> <p>Hardware Key/Hardware ID</p> <p>Role Base User Management (definable user priveleges)</p> <p>Password complexity</p> <ul style="list-style-type: none"> - Auto Log-out Option - Audit Trail Log Option - Password Expiry Option

			<ul style="list-style-type: none"> - Lock User after 3 wrong entries of Username and/or Password - Character Grouping FK Printing Auto Domain Authentication MS Access, MySQL Server 5.5, Microsoft SQL Server 2008 	<ul style="list-style-type: none"> - Lock User after 3 wrong entries of Username and/or Password - Character Grouping (DELETED) Auto Domain Authentication MS Access, MySQL Server 5.5, Microsoft SQL Server 2008
		Database and Network Support	Real Time Access to multi active database	Real Time Access to multi active database
		Card Design	Flexible image storage – stores images inside or outside the ID Database Photos, signature and fingerprints can be extracted/exported from the existing database	Flexible image storage – stores images inside or outside the ID Database Photos, signature and fingerprints can be extracted/exported from the existing database
		Data Entry and Special Utilities	WYSIWYG, Intuitive Layout Design Supported image file formats Image transparency on photographs, signatures and fingerprints Tool Box for Static Text, Shapes, Logos Effects and Backgrounds Imaging Features such as Zoom in/Zoom out, Rotate, Crop, Tool, Alignment Tools, Magic Wand, Eraser, Image Brightness and Contrast Supports Form View and Grid View data entry	WYSIWYG, Intuitive Layout Design Supported image file formats Image transparency on photographs, signatures and fingerprints Tool Box for Static Text, Shapes, Logos Effects and Backgrounds Imaging Features such as Zoom in/Zoom out, Rotate, Crop, Tool, Alignment Tools, Magic Wand, Eraser, Image Brightness and Contrast Supports Form View and Grid View data entry
		Printing and Encoding	Seamless Photo, signature and fingerprint, capturing from supported devices Supports wide area Barcode Formats e.g. PDF417, QR Code 93, Code 128, Code 39 Supports for Canon SLR Camera for remote capturing Text File Import (CSV, Tab Delimited) Text File Export (PDF, CSV) Special use field (auto numbering, issue and expiry date, drop down list entry) Single and/or Dual Sided Printing	Seamless Photo, signature and fingerprint, capturing from supported devices Supports wide area Barcode Formats e.g. PDF417, QR Code 93, Code 128, Code 39 Supports for Canon SLR Camera for remote capturing Text File Import (CSV, Tab Delimited) Text File Export (PDF, CSV) Special use field (auto numbering, issue and expiry date, drop down list entry) Single and/or Dual Sided Printing
		Reports	Batch Printing Magnetic Stripe Encoding (ISO Track 1, 2, 3) Contactless Smart Card Encoding (one-pass), Mifare classic (1k and 4K)	Batch Printing Magnetic Stripe Encoding (ISO Track 1, 2, 3) Contactless Smart Card Encoding (one-pass), Mifare classic (1k and 4K)
		Warranty	Print History Database Report Cards Printed and Cards not Printer Report Missing Data Report (Data Field, Photograph, Signature and Fingerprint) Cards about to expire Report Audit Trail Report Printer – 3 years Printhead – Lifetime	Print History Database Report Cards Printed and Cards not Printer Report Missing Data Report (Data Field, Photograph, Signature and Fingerprint) Cards about to expire Report Audit Trail Report Printer – 3 years Printhead – Lifetime
		Training	One (1) Training and Two (2) Re-trainings	One (1) Training and Two (2) Re-trainings
		Preventive Maintenance	Free Semi-Annual PM for three Years, On-site visit Nationwide Other Inclusions	Free Semi-Annual PM for three Years, On-site visit Nationwide Other Inclusions
		Studio Webcam Mini Tripod Pen Tablet	Consumables: YMCK, 500 prints/roll (full color-front & back-Black) 17 rolls	FULL HD Webcam Mini Tripod Pen Tablet Consumables: YMCK, 500 prints/roll (full color-front & back-Black) 17 rolls

		Consumables: Film, 750 prints/roll (Front and Back) 12 Films Consumables: Smartcard, contactless 1k - 8500 pcs.	Consumables: Film, 750 prints/roll (Front and Back) 12 Films Consumables: LOW PROXIMITY CARD (WORKING FREQ - 125KHZ) - 8500 pcs.
--	--	---	---

2. **To change the Submission and Opening of Bids:**


ORIGINAL From			AMENDED TO		
<i>Activities</i>	<i>Schedule</i>	<i>Time</i>	<i>ACTIVITIES</i>	<i>SCHEDULE</i>	<i>TIME</i>
Submission of Bids	01 February 2017	9:00 am	SUBMISSION OF BIDS	15 FEBRUARY 2017	9:00 AM
Opening of Bids	01 February 2017	10:00 am	OPENING OF BIDS	15 FEBRUARY 2017	10:00 AM

3. Pursuant to **GPPB Circular No. 01-2015** dated 30 January 2015 and **GPPB Resolution No. 02-2015** dated 30 January 2015, the **submission of the recently expired Mayor's Permit, together with the Official Receipt for Renewal, as legal eligibility requirement is accepted.**
4. Inquiries/clarification may be entertained through a letter addressed to the BAC Chairperson, **DR. NELSON J. CELIS** seven (7) calendar days before the amended Submission and Opening of Bids.

Note:

- This shall form part of the Bidding Documents.
- Any provisions in the Bidding Documents inconsistent hereby cancelled, modified and superseded accordingly.

For guidance and information of all concerned.


DR. NELSON J. CELIS
 BAC Chairperson

Received by the bidder:

Name of the Bidder & Signature

Name of Company

Date: _____